NSN 5895-00-129-6592

Frequency Shift Converter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5895-00-129-6592



Overall Length: 16.875 inches **Overall Height:** 1.688 inches **Overall Width:** 6.688 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** 37264505pt2-01534 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Open **Operating Control Method:** Manual Installation Design: Drawer **Control Type:** Local **Circuit Construction Type:** Solid state Frequency Per Channel: 595.0 hertz operating channel **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated **Impedance Rating Per Channel:** 600.000 ohms input channel

NSN 5895-00-129-6592

Frequency Shift Converter - Page 2 of 2



Pulse Peak Amplitude Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Printed circuit front
Operating Ac Frequency In Hertz:
60.0 2nd voltage
Connection Contact Type And Quantity:
38 printed circuit external
External Ac Operating Voltage In Volts:
230.0 2nd voltage
Phase:
Single
Fsc Application Data:
Telephone and telegraph equipment
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Fiig:
A32200