NSN 5895-00-133-4247

Frequency Mixer Stage - Page 1 of 2

Vibration Resistance Range In Hertz:

Overall Length: 5.000 inches Overall Height: 2.000 inches Overall Width: 3.500 inches

Not rated



View Online at https://aerobasegroup.com/nsn/5895-00-133-4247

Shock Resistance Rating In Gravitationa	l Units:
Not rated	
Operating Tempurature Range:	
+0.0 to 65.0 degrees celsius	
Average Life Measurement:	
Not rated	
Basic Shape Style:	
Irregular	
Identification Designator:	
G300153s1-24930	
Maximum Operating Altitude Rating:	
10000.0 feet	
Inclosure Type:	
Open	
Installation Design:	
Mechanical	
Circuit Construction Type:	
Solid state	
Frequency Per Channel:	
30.0 megahertz output channel	
Attenuation In Decibels:	
Not rated	
Average Power Rating Per Channel:	
Not rated	
Signal Voltage Rating Per Channel:	
Not rated	
Overall Gain:	
Not rated	
Impedance Rating Per Channel:	
50.000 ohms input channel	
Maximum Continuous Operating Time In	Hours:
Not rated	
Connection Type And Location:	
Receptacle, coaxial rear	

NSN 5895-00-133-4247

Frequency Mixer Stage - Page 2 of 2



C	C44	T	A
Connection	Contact	I VDE ANG	Quantity.

4 receptacle, coaxial external

External Dc Operating Voltage In Volts:

12.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200