## NSN 5895-00-328-4580

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-00-328-4580

| Overall Length:   |
|---|
| 3.330 inches  |
| Overall Height:   |
| 0.750 inches  |
| Overall Width:  |
| 3.000 inches  |
| Environmental Protection:                                       |
| Fungus proof  |
| Individual Section Quantity:                                    |
| 1   |
| Operating Tempurature Range:                                    |
| -0.0 to 50.0 degrees celsius                                    |
| Average Life Measurement:                                       |
| Not rated   |
| Basic Shape Style:  |
| Rectangular or square   |
| Identification Designator:                                      |
| 51g1amw-13499   |
| Maximum Operating Altitude Rating:                              |
| 15000.0 feet  |
| Inclosure Type:   |
| Partially enclosed  |
| Operating Control Method:                                       |
| Manual  |
| Installation Design:  |
| Module  |
| Control Type:   |
| Local   |
| Circuit Construction Type:                                      |
| Solid state   |
| Frequency Per Channel:  |
| 8400.0 megahertz 1st input channel                              |
| Frequency Adjustment Type:                                      |
| Continuous  |
| Overall Gain:   |
| 22.0 decibels   |
| Connection Type And Location:                                   |
| Receptacle, coaxial front and receptacle, power front           |
| Connection Contact Type And Quantity:                           |
| 2 receptacle, coaxial external and 1 receptacle, power external |
| External Dc Operating Voltage In Volts:                         |

-20.0 single voltage

## NSN 5895-00-328-4580

Frequency Mixer Stage - Page 2 of 2



| _ |   |    | • |    |    |
|---|---|----|---|----|----|
| • | n | ο. | • | 18 | e: |
|   |   |    |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200