NSN 5895-00-400-5435

Frequency Mixer Stage - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5895-00-400-5435



Overall Length: 0.688 inches **Overall Height:** 0.598 inches **Overall Width:** 0.562 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Rating:** 5000.0 **Average Life Measurement: Average Life Rating In Hours:** 5000.0 **Basic Shape Style:** Rectangular or square **Identification Designator:** 8508310-4-02734 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased **Installation Design:** Module **Circuit Construction Type:** Solid state Frequency Per Channel: 500.0 megahertz operating channel **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated Signal Voltage Rating Per Channel: Not rated **Overall Gain:** Not rated Impedance Rating Per Channel: 50.000 ohms operating channel

NSN 5895-00-400-5435

Frequency Mixer Stage - Page 2 of 2



Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Solder lug bottom
Connection Contact Type And Quantity:
3 solder lug external
External Dc Operating Voltage In Volts:
12.0 single voltage
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A32200