Frequency Shift Converter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-00-665-1329

| Overall Length: |
|---|
| 19.500 inches |
| Overall Height: |
| 8.500 inches |
| Overall Width: |
| 14.000 inches |
| Vibration Resistance Range In Hertz: |
| Not rated |
| Shock Resistance Rating In Gravitational Units: |
| Not rated |
| Operating Tempurature Range: |
| Not rated |
| Average Life Measurement: |
| Not rated |
| Basic Shape Style: |
| Rectangular or square |
| Identification Designator: |
| Ansgc1a-80058 |
| Maximum Operating Altitude Rating: |
| Not rated |
| Inclosure Type: |
| Encased |
| Operating Control Method: |
| Automatic |
| Installation Design: |
| Free-standing with legs |
| Control Type: |
| Remote |
| Circuit Construction Type: |
| Electron tube |
| Frequency Per Channel: |
| 400.0 hertz operating channel |
| Attenuation In Decibels: |
| Not rated |
| Average Power Rating Per Channel: |
| Not rated |
| Signal Voltage Rating Per Channel: |
| Not rated |
| Overall Gain: |
| Not rated |
| Impedance Rating Per Channel: |
| 600.000 ohms input channel |
| |

NSN 5895-00-665-1329

Frequency Shift Converter - Page 2 of 2



Pulse Peak Amplitude Per Channel: Not rated Indicator Device Type And Quantity: 1 meter Maximum Continuous Operating Time In Hours: Not rated **Connection Type And Location:** Terminal block w/screw bottom **Operating Ac Frequency In Hertz:** 60.0 single voltage **Connection Contact Type And Quantity:** 14 terminal block w/screw internal **External Ac Operating Voltage In Volts:** 126.5 single voltage Phase: Single **Reference Number Differentiating Characteristics:** As differentiated by with spare parts Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A32200