NSN 5895-00-844-0704

Sweep Generator - Page 1 of 2

Single



View Online at https://aerobasegroup.com/nsn/5895-00-844-0704

Overall Length:
3.750 inches
Overall Height:
1.880 inches
Overall Width:
3.220 inches
Average Life Measurement:
Not rated
End Application:
An/fps-6
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Installation Design:
Rack
Circuit Construction Type:
Solid state
Frequency Per Channel:
0.0 hertz operating channel and 30.0 hertz operating channel
Impedance Rating Per Channel:
330.000 ohms output channel
Pulse Duration Per Channel:
Pulse Duration Per Channel: 2.500 milliseconds output channel
2.500 milliseconds output channel
2.500 milliseconds output channel Polarity Per Channel:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output Wave Shape:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output Wave Shape: Sawtooth
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output Wave Shape: Sawtooth Operating Ac Frequency In Hertz:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output Wave Shape: Sawtooth Operating Ac Frequency In Hertz: 60.0 single voltage
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output Wave Shape: Sawtooth Operating Ac Frequency In Hertz: 60.0 single voltage External Dc Operating Voltage In Volts:
2.500 milliseconds output channel Polarity Per Channel: Negative output channel Pulse Repetition Rate Per Channel: 2.000 pulses per second output channel and 400.000 pulses per second output channel Pulse Peak Amplitude Per Channel: 95.000 volts output channel Signal Data Type Per Channel: Output channel pulse Output wave Shape: Sawtooth Operating Ac Frequency In Hertz: 60.0 single voltage External Dc Operating Voltage In Volts: -140.0 1st voltage err-100

NSN 5895-00-844-0704

Sweep Generator - Page 2 of 2



Functional Description:

Generates a sweep waveform starting at 100v and sweeping at a rate of 27v per millisecond; the sweep starts when a trigger is applied and will continue for a of 2.5 milliseconds; the sweep can be stopped at any time by the application of a stop-trigger

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200