NSN 5895-00-860-5901

Reference Signal Generator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5895-00-860-5901



Overall Length: 3.138 inches **Overall Height:** 2.312 inches **Overall Width:** 1.437 inches **Environmental Protection:** Dustproof **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encapsulated Installation Design: Module **Circuit Construction Type:** Solid state **Frequency Per Channel:** Not rated **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated Signal Voltage Rating Per Channel: 10.000 volts output **Overall Gain:** Not rated Impedance Rating Per Channel: Not rated **Pulse Duration Per Channel:** Microseconds 9th output channel 21.600 **Polarity Per Channel:** Positive 8th output channel **Pulse Peak Amplitude Per Channel:** Volts 9th output channel 10.000

NSN 5895-00-860-5901

Reference Signal Generator - Page 2 of 2



Pulse Modulation Type Per Channe	Pulse	Modulation	Type Per	Channel
----------------------------------	-------	------------	----------	---------

Duration 9th output channel

Signal Data Type Per Channel:

9th output channel discrete voltage

Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Receptacle, power bottom

Connection Contact Type And Quantity:

15 receptacle, power external

External Dc Operating Voltage In Volts:

10.0 1st voltage err-100

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200