# NSN 5895-01-022-5266

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-022-5266

### **Overall Length:** Between 2.990 inches and 3.010 inches **Overall Height:** Between 1.040 inches and 1.080 inches **Overall Width:** Between 0.580 inches and 0.620 inches **Vibration Resistance Range In Hertz:** +10.0/+2000.0 **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -54.0/+100.0 degrees celsius Average Life Measurement: Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** Wj-m1k-1-14482 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Hermetically sealed Installation Design: Module **Circuit Construction Type:** Solid state **Frequency Per Channel:** 3.5 gigahertz operating channel err-100 Attenuation In Decibels: 6.0 **Average Power Rating Per Channel:** 400.0 milliwatts input Signal Voltage Rating Per Channel: Not rated **Overall Gain:** Not rated **Impedance Rating Per Channel:** 50.000 ohms operating channel Maximum Continuous Operating Time In Hours: Not rated **Connection Type And Location:**

Receptacle, coaxial bottom

## NSN 5895-01-022-5266

Frequency Mixer Stage - Page 2 of 2



#### **Connection Contact Type And Quantity:**

3 receptacle, coaxial external

#### External Dc Operating Voltage In Volts:

4.48 single voltage

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

A32200