

View Online at <https://aerobasegroup.com/nsn/5895-01-023-7893>

Overall Length:

0.910 inches

Overall Height:

0.500 inches

Overall Width:

0.590 inches

Environmental Protection:

Shock resistant and vibration

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Vibration Resistance Amplitude:

0.06 inches total excursion

Shock Resistance Rating In Gravitational Units:

50.0

Operating Temperature Range:

-55.0/+110.0 degrees celsius

Average Life Rating:

1000.0

Average Life Measurement:

Hours

Average Life Rating In Hours:

1000.0

Basic Shape Style:

Rectangular or square

Identification Designator:

6900-20-600-1007

Maximum Operating Altitude Rating:

75000.0 feet

Inclosure Type:

Encased

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

500.0 megahertz operating channel err-100

Attenuation In Decibels:

9.0

Average Power Rating Per Channel:

100.0 milliwatts output

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

Not rated

Impedance Rating Per Channel:

50.000 ohms operating channel

Maximum Continuous Operating Time In Hours:

Not rated

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Wire lead terminals bottom

Connection Contact Type And Quantity:

6 wire lead terminals external

Special Features:

Color bead around terminal no. 1 signifying rf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200