## NSN 5895-01-055-2252

**Vibration Resistance Range In Hertz:** 

**Vibration Resistance Amplitude:** 

Overall Length: 1.180 inches

**Overall Diameter:** 

0.310 inches

+100.0/+2000.0

20.0 gravitational units

Radio Frequency Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-055-2252

Shock Resistance Rating In Gravitational Units:
50.0
Operating Tempurature Range:
-60.0/+150.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Cylindrical
Identification Designator:
8557569-49671
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Encapsulated
Installation Design:
Transportable
Circuit Construction Type:
Solid state
Frequency Per Channel:
8.0 gigahertz operating channel err-100
Attenuation In Decibels:
52.0
Average Power Rating Per Channel:
0.1 watts output
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
125.000 ohms operating channel
Maximum Continuous Operating Time In Hours:
Not rated
Shock Pulse Duration Time:

## NSN 5895-01-055-2252

Radio Frequency Detector - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200