NSN 5895-01-065-5043

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-065-5043

Reliability Indicator:
Not established
Overall Length:
0.800 inches
Overall Height:
0.455 inches
Overall Width:
0.400 inches
Operating Tempurature Range:
-46.0/+85.0 degrees celsius
Fragility Factor:
Moderately delicate
Average Life Measurement:
Not rated
End Application:
Radio set an/prc-104; airborne mobile dir air spt ctl (2id), (02m jul83)(an/uyq-3a, whidbey island class lsd, osprey class mhc, nimitz class
cvn, wasp class lhd, avenger class mcm, radio set (a1815) (an/grc-193), supply class aoe, radio set (an/mrc-138)
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Mechanical
Control Type:
Remote
Special Handling Feature:
Fragile
Circuit Construction Type:
Solid state
Impedance Rating Per Channel:
50.000 ohms operating channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
8 pin external
Criticality Code Justification:
Feat
Special Features:

Any acceptable

Color:

Weapon system essential

NSN 5895-01-065-5043

Frequency Mixer Stage - Page 2 of 2



Special Markings:

1; 2; 3; 4; 5; 6; 7; 8

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200