NSN 5895-01-067-7276

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-067-7276

Reliability Indicator:
Not established
Overall Length:
0.800 inches
Overall Height:
0.400 inches
Overall Width:
Between 0.415 inches and 0.455 inches
Operating Tempurature Range:
-46.0/+85.0 degrees celsius
Fragility Factor:
Moderately delicate
Storage Tempurature Range:
-62.0/+100.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Special Handling Feature:
Fragile
Circuit Construction Type:
Solid state
Frequency Per Channel:
2.0 megahertz operating channel and 110.0 megahertz operating channel
Average Power Rating Per Channel:
50.0 milliwatts input
Impedance Rating Per Channel:
50.000 ohms operating channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
8 pin external
Criticality Code Justification:

Feat

NSN 5895-01-067-7276

Frequency Mixer Stage - Page 2 of 2



Special Features:

Weapon system essential

Color:

Any acceptable

Special Markings:

1; 2; 3; 4; 5; 6; 7; 8

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200