Radio Frequency Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-088-1399

Overall Length:
2.500 inches
Overall Diameter:
0.750 inches
Environmental Protection:
Vibration and moisture proof and shock resistant
Vibration Resistance Range In Hertz:
+5.0/+33.0
Vibration Resistance Amplitude:
6.5 gravitational units
Shock Resistance Rating In Gravitational Units:
60.0
Operating Tempurature Range:
-55.0/+80.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Cylindrical
Identification Designator:
An-wlq- (4) -80058
Inclosure Type:
Hermetically sealed
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
0.1 megahertz operating channel and 500.0 megahertz operating channel
Average Power Rating Per Channel:
500.0 milliwatts output
Impedance Rating Per Channel:
50.000 ohms operating channel
Shock Pulse Duration Time:
20.0 milliseconds
Connection Type And Location:
Receptacle, coaxial left side and receptacle, coaxial right side
Connection Contact Type And Quantity:
2 receptacle, coaxial external
Shelf Life:
N/a
Unit Of Measure:

NSN 5895-01-088-1399

Radio Frequency Detector - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32200