

View Online at <https://aerobasegroup.com/nsn/5895-01-099-4041>

Overall Length:

0.750 inches

Overall Height:

0.208 inches

Overall Width:

0.385 inches

Environmental Protection:

Moisture proof and salt spray resistant

Vibration Resistance Range In Hertz:

+10.0/+200.0

Shock Resistance Rating In Gravitational Units:

10.0

Operating Temperature Range:

-18.0/+85.0 degrees celsius

Average Life Rating:

10000.0

Average Life Measurement:

Hours

Average Life Rating In Hours:

10000.0

Basic Shape Style:

Rectangular or square

Identification Designator:

979124-49956

Maximum Operating Altitude Rating:

10000.0 feet

Inclosure Type:

Hermetically sealed

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

1.0 megahertz operating channel and 500.0 megahertz operating channel

Impedance Rating Per Channel:

50.000 ohms operating channel

Maximum Continuous Operating Time In Hours:

Not rated

Connection Type And Location:

Solder lug bottom

Connection Contact Type And Quantity:

8 solder lug external

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200