

View Online at <https://aerobasegroup.com/nsn/5895-01-101-6264>

**Inclosure Material:**

Aluminum

**Overall Length:**

0.830 inches

**Overall Height:**

0.540 inches

**Overall Width:**

0.830 inches

**Environmental Protection:**

Moisture proof and shock resistant and vibration

**Vibration Resistance Range In Hertz:**

+5.0/+15.0 and +16.0/+25.0

**Individual Section Quantity:**

1

**Vibration Resistance Amplitude:**

2.0 gravitational units and 2.5 gravitational units

**Shock Resistance Rating In Gravitational Units:**

50.0

**Operating Temperature Range:**

+0.0/+85.0 degrees celsius

**Storage Temperature Range:**

-62.0/+71.0 degrees celsius

**Average Life Measurement:**

Not rated

**End Application:**

Receiving set, countermeasures an/wlq- (v)

**Basic Shape Style:**

Rectangular or square

**Inclosure Type:**

Hermetically sealed

**Operating Control Method:**

Automatic

**Installation Design:**

Mechanical

**Control Type:**

Remote

**Circuit Construction Type:**

Solid state

**Frequency Per Channel:**

2.0 gigahertz output channel err-100 and 4.0 gigahertz output channel err-100

**Shock Pulse Duration Time:**

10.0 milliseconds

**Connection Type And Location:**

Receptacle, coaxial front and receptacle, coaxial left side and receptacle, coaxial rear

**Connection Contact Type And Quantity:**

3 receptacle, coaxial external

**Special Features:**

Threaded holes 2-56 unc-2b 0.086 in. Deep 4 places

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A32200