NSN 5895-01-112-0032

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-112-0032 **Overall Length:** 13.510 inches **Overall Height:** 0.920 inches **Overall Width:** 7.490 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -54.0/+71.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 30000.0 **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 60.0 megahertz operating channel err-100 **Attenuation In Decibels:** 3.0 **Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** 4.0 decibels

Impedance Rating Per Channel:

50.000 ohms operating channel

Maximum Continuous Operating Time In Hours:

5000.0

Product Name:

Mixer, preamplifier, assembly

Precious Material And Location:

External surfaces gold and connector shell gold

NSN 5895-01-112-0032

Frequency Mixer Stage - Page 2 of 2



Precious Material And Weight:
10.000 gold grams
Precious Material:
Gold
Reference Number Differentiating Characteristics:
Differentiated by source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A32200