NSN 5895-01-121-0114

Video Signal Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-121-0114

Overall Length:
1.700 inches
Overall Diameter:
0.380 inches
Vibration Resistance Range In Hertz:
+20.0/+2000.0
Shock Resistance Rating In Gravitational Units:
20.0
Average Life Measurement:
Not rated
End Application:
Support equipment, f-111 aircraft (fms only)
Basic Shape Style:
Cylindrical
Identification Designator:
Hp33330b-28480
Inclosure Type:
Encased Constitute Control Matheda
Operating Control Method: Automatic
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
18.0 gigahertz input channel err-100
Average Power Rating Per Channel:
1.0 watts input
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
50.000 ohms input channel err-100
Shock Pulse Duration Time:
0.5 milliseconds
Connection Type And Location:
Receptacle, coaxial left side and receptacle, coaxial right side
Connection Contact Type And Quantity:
1 receptacle, coaxial internal and 1 receptacle, coaxial external
Shelf Life:

N/a

NSN 5895-01-121-0114

Video Signal Detector - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200