NSN 5895-01-130-3699



Frequency Mixer Stage - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5895-01-130-3699 **Overall Length:** 0.800 inches **Overall Height:** 0.588 inches **Overall Width:** 0.400 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -55.0/+100.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** An/grc-17 (v) 2 **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Panel **Circuit Construction Type:** Solid state Frequency Per Channel: 500.0 megahertz operating channel err-100 **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated

Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated

NSN 5895-01-130-3699

Frequency Mixer Stage - Page 2 of 2



Connection	Type	And	Location:
------------	------	-----	-----------

Terminal stud bottom

Connection Contact Type And Quantity:

8 terminal stud external

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200