NSN 5895-01-154-6479

Radio Frequency Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-154-6479 **Overall Length:** 1.160 inches **Overall Diameter:** Between 0.300 inches and 0.325 inches **Environmental Protection:** Shock resistant and vibration **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -40.0/+85.0 degrees celsius Average Life Rating: 10000.0 **Average Life Measurement: Average Life Rating In Hours:** 10000.0 **Basic Shape Style:** Cylindrical **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encapsulated **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Local **Circuit Construction Type:** Electron tube Frequency Per Channel: 9.0 gigahertz operating channel and 10.0 gigahertz operating channel Frequency Adjustment Type: Continuous **Attenuation In Decibels:** Not rated **Average Power Rating Per Channel:** Not rated

Signal Voltage Rating Per Channel: 75.000 millivolts output

NSN 5895-01-154-6479

Radio Frequency Detector - Page 2 of 2



Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Receptacle, coaxial bottom and connector, plug top
Connection Contact Type And Quantity:
1 receptacle, coaxial external and 1 connector, plug external
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A32200