## NSN 5895-01-155-0751

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-155-0751

Overall Length:
0.800 inches
Overall Height:
0.210 inches
Overall Width:
0.400 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-65.0/+100.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
10.0 megahertz operating channel and 500.0 megahertz operating channel
Attenuation In Decibels:
9.0
Average Power Rating Per Channel:
50.0 milliwatts output
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
9.0 decibels
Impedance Rating Per Channel:
50.000 ohms operating channel
Maximum Continuous Operating Time In Hours:

Not rated

## NSN 5895-01-155-0751

Frequency Mixer Stage - Page 2 of 2



Connection Ty	pe And Location:
---------------	------------------

Printed circuit bottom

**Connection Contact Type And Quantity:** 

8 printed circuit external

**Fsc Application Data:** 

Miscellaneous communication equipment

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200