NSN 5895-01-155-0752

Between 1.000 inches and 1.020 inches

Inclosure Material:

Overall Length:

Plastic

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-155-0752

Overall Height:
0.125 inches
Overall Width:
0.515 inches
Environmental Protection:
Fungus proof and moisture proof and shock resistant and vibration and weatherproof
Vibration Resistance Range In Hertz:
+10.0/+2000.0
Vibration Resistance Amplitude:
0.06 inches total excursion
Operating Tempurature Range:
-54.0/+100.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Inclosure Type:
Encapsulated
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
10.0 megahertz output channel and 4000.0 megahertz output channel
Average Power Rating Per Channel:
400.0 milliwatts input
Impedance Rating Per Channel:
50.000 ohms output channel
Connection Type And Location:
Wire lead terminals front and wire lead terminals rear
Connection Contact Type And Quantity:
8 wire lead terminals external
Precious Material And Location:
Metal parts gold

NSN 5895-01-155-0752

Frequency Mixer Stage - Page 2 of 2

A32200



Precious Material:
Gold
Test Data Document:
$05375 - mil-std-202e \ standard \ (includes \ industry \ or \ association \ standards, \ individual \ manufactureer \ standards, \ etc.).$
Fsc Application Data:
Electronic equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: