

View Online at <https://aerobasegroup.com/nsn/5895-01-163-7493>

Overall Length:

Between 1.500 inches and 1.600 inches

Overall Diameter:

Between 0.370 inches and 0.491 inches

Environmental Protection:

Moisture proof and salt spray resistant and shock resistant

Vibration Resistance Range In Hertz:

+10.0/+55.0

Vibration Resistance Amplitude:

10.0 gravitational units

Shock Resistance Rating In Gravitational Units:

50.0

Operating Temperature Range:

-65.0/+100.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Cylindrical

Maximum Operating Altitude Rating:

15000.0 feet

Inclosure Type:

Encapsulated

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

10.0 megahertz operating channel and 4.0 gigahertz operating channel

Average Power Rating Per Channel:

100.0 milliwatts input

Shock Pulse Duration Time:

11.0 milliseconds

Connection Type And Location:

Connector, plug left side and receptacle, coaxial right side

Connection Contact Type And Quantity:

1 connector, plug external and 1 receptacle, coaxial external

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32200