NSN 5895-01-186-5685

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-186-5685

Reliability Indicator:
Not established
Overall Length:
0.800 inches
Overall Height:
0.210 inches
Overall Width:
0.400 inches
Environmental Protection:
Fungus proof and shock resistant and vibration and watertight
Individual Section Quantity:
3
Average Life Measurement:
Not rated
End Application:
Radar data transfer, subsystem an/gpn-22v
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
10000.0 feet
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Mechanical
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
1.0 megahertz 2nd input channel err-100 and 500.0 megahertz 2nd input channel err-100
Impedance Rating Per Channel:
50.000 ohms output channel err-100
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
8 pin external
Fsc Application Data:
Commuications equipment, miscellaneous
Shelf Life:
N/a

NSN 5895-01-186-5685

Frequency Mixer Stage - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200