NSN 5895-01-187-8280

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-187-8280

Overall Length:
0.625 inches
Overall Height:
0.150 inches
Overall Width:
0.625 inches
Environmental Protection:
Moisture proof and shock resistant and vibration
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
Radar data transfer, subsystem an/gpn-22v
Basic Shape Style:
Rectangular or square
Identification Designator:
Md-174-21912
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
1.0 megahertz input channel err-100 and 2000.0 megahertz input channel err-100
Average Power Rating Per Channel:
1.0 watts input
Impedance Rating Per Channel:
50.000 ohms output channel
Connection Type And Location:
Wire lead terminals left side and wire lead terminals right side
Connection Contact Type And Quantity:
10 wire lead terminals external
Precious Material And Location:
Terminals and internal surfaces gold
Precious Material:
Gold
Shelf Life:
N/a

NSN 5895-01-187-8280

Frequency Mixer Stage - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200