## NSN 5895-01-266-0245

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-266-0245 **Overall Length:** 0.785 inches **Overall Height:** 0.385 inches **Overall Width:** 0.385 inches **Environmental Protection:** Moisture proof and shock resistant and vibration **Operating Tempurature Range:** -54.0/+100.0 degrees celsius Storage Tempurature Range: -65.0/+100.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 5.0 megahertz operating channel and 500.0 megahertz operating channel **Connection Type And Location:** Pin bottom **Connection Contact Type And Quantity:** 8 pin external **Test Data Document:** 81349-mil-m-28837 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Specification Data:** 81349-mil-m-28837/1 government specification Shelf Life: N/a **Unit Of Measure:** 

Yes - demil/mli

**Demilitarization:** 

## NSN 5895-01-266-0245

Frequency Mixer Stage - Page 2 of 2



Fiig:

A32200