## NSN 5895-01-293-0733

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-293-0733 **Overall Length:** 1.130 inches **Overall Height:** 0.185 inches **Overall Width:** 0.820 inches **Environmental Protection:** Moisture proof and salt spray resistant and shock resistant and vibration **Operating Tempurature Range:** -54.0/+100.0 degrees celsius Storage Tempurature Range: -62.0/+125.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** 50000.0 feet **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 0.0 hertz operating channel and 250.0 megahertz operating channel **Connection Type And Location:** Err-060 glad hand quick disconnect and err-060 butt weld pipe **Connection Contact Type And Quantity:** 11 liters of liquid nitrogen drain **Specification Data:** 80063-a3004632 manufacturers source control Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5895-01-293-0733

Frequency Mixer Stage - Page 2 of 2



Fiig:

A32200