## NSN 5895-01-333-9056

Radio Frequency Detector - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5895-01-333-9056        |
|--|
| Overall Length:  |
| Between 0.092 inches and 0.104 inches                                |
| Overall Height:  |
| Between 0.032 inches and 0.049 inches                                |
| Overall Width:   |
| Between 0.092 inches and 0.104 inches                                |
| Operating Tempurature Range:   |
| -40.0/+85.0 degrees celsius  |
| Average Life Rating:   |
| 10000.0  |
| Storage Tempurature Range:   |
| -65.0/+125.0 degrees celsius   |
| Average Life Measurement:  |
| Hours  |
| Average Life Rating In Hours:  |
| 10000.0  |
| Basic Shape Style:   |
| Rectangular or square  |
| Inclosure Type:  |
| Encapsulated   |
| Operating Control Method:  |
| Automatic  |
| Installation Design:   |
| Module   |
| Control Type:  |
| Remote   |
| Circuit Construction Type:   |
| Solid state  |
| Frequency Per Channel:   |
| 9.0 gigahertz operating channel and 10.0 gigahertz operating channel |
| Connection Type And Location:  |
| Wire lead terminals left side and wire lead terminals right side     |
| Connection Contact Type And Quantity:                                |
| 2 wire lead terminals external                                       |
| Criticality Code Justification:                                      |
| Feat   |
| Special Features:  |
| Electrostatic sensitive device                                       |
| Precious Material And Location:                                      |
| Lead surfaces gold   |

Gold

**Precious Material:** 

## NSN 5895-01-333-9056

Radio Frequency Detector - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200