## NSN 5895-01-353-8018

Radio Frequency Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-353-8018 **Overall Length:** 1.660 inches **Overall Diameter:** 0.250 inches **Environmental Protection:** Moisture proof and salt spray resistant and shock resistant and vibration **Operating Tempurature Range:** -54.0/+120.0 degrees celsius **Average Life Rating:** 2000.0 Storage Tempurature Range: -54.0/+85.0 degrees celsius **Average Life Measurement:** Hours **Average Life Rating In Hours:** 2000.0 **Basic Shape Style:** Cylindrical **Identification Designator:** G254371-2-49956 **Maximum Operating Altitude Rating:** 50000.0 feet **Inclosure Type:** Encased **Operating Control Method:** Automatic **Installation Design:** Mechanical **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 4.0 gigahertz operating channel and 7.5 gigahertz operating channel Impedance Rating Per Channel: 50.000 ohms input channel err-1005.000 kilohms output channel err-100 **Connection Type And Location:** Receptacle, coaxial left side and receptacle, coaxial right side **Connection Contact Type And Quantity:** 2 receptacle, coaxial external **Criticality Code Justification:** 

Feat

## NSN 5895-01-353-8018

Radio Frequency Detector - Page 2 of 2



Special	Features:
---------	-----------

Electrostatic sensitive device

**Precious Material And Location:** 

Connector surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200