NSN 5895-01-359-2040

Radio Frequency Detector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-359-2040

Overall Length:
Between 1.140 inches and 1.180 inches
Overall Diameter:
Between 0.300 inches and 0.325 inches
Shock Resistance Rating In Gravitational Units:
100.0
Operating Tempurature Range:
+0.0/+65.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
Receiver r-2299/sps-48
Basic Shape Style:
Cylindrical
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Mechanical
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
2.0 gigahertz operating channel and 8.0 gigahertz operating channel
Signal Voltage Rating Per Channel:
125.000 millivolts output
Shock Pulse Duration Time:
6.0 milliseconds
Connection Type And Location:
Receptacle, coaxial left side and receptacle, coaxial right side
Connection Contact Type And Quantity:
2 receptacle, coaxial external
Precious Material And Location:
Body and connector surfaces gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5895-01-359-2040

Radio Frequency Detector - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32200