Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-366-3021

Reliability Indicator:

Not established

Overall Length:

0.510 inches

Overall Height:

0.240 inches

Overall Width:

0.390 inches

Individual Section Quantity:

2

Operating Tempurature Range:

-55.0/+85.0 degrees celsius

Storage Tempurature Range:

-55.0/+100.0 degrees celsius

Average Life Measurement:

Not rated

End Application:

5895-01-333-3040

Basic Shape Style:

Rectangular or square

Inclosure Type:

Hermetically sealed

Operating Control Method:

Automatic

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

5.0 megahertz 1st operating channel err-100 and 1000.0 megahertz 1st operating channel err-1000.0 megahertz 2nd operating channel err-100 and 1000.0 megahertz 2nd operating channel err-100

Variation Frequency Rating In Decibels:

3.0 and 13.0

Average Power Rating Per Channel:

300.0 milliwatts output

Impedance Rating Per Channel:

50.000 ohms operating channel

Connection Type And Location:

Pin bottom and pin top

Precious Material And Location:

Case and leads gold

Precious Material:

Gold

NSN 5895-01-366-3021

Frequency Mixer Stage - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200

