## NSN 5895-01-366-3021

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5895-01-366-3021

Reliability Indicator:
Not established
Overall Length:
0.510 inches
Overall Height:
0.240 inches
Overall Width:
0.390 inches
Individual Section Quantity:
2
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Storage Tempurature Range:
-55.0/+100.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
5895-01-333-3040
Basic Shape Style:
Rectangular or square
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
5.0 megahertz 1st operating channel err-100 and 1000.0 megahertz 1st operating channel err-1000.0 megahertz 2nd operating channel
err-100 and 1000.0 megahertz 2nd operating channel err-100
Variation Frequency Rating In Decibels:
3.0 and 13.0
Average Power Rating Per Channel:
300.0 milliwatts output
Impedance Rating Per Channel:
50.000 ohms operating channel
Connection Type And Location:
Pin bottom and pin top
Precious Material And Location:
Case and leads gold

Gold

**Precious Material:** 

## NSN 5895-01-366-3021

Frequency Mixer Stage - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200