

View Online at <https://aerobasegroup.com/nsn/5895-01-497-3466>

**Overall Depth:**

5.250 inches

**Overall Length:**

1.900 inches

**End Application:**

7010-01-391-0168

**Electrical Power Source Relationship:**

Self-contained

**Special Features:**

This module requires no power, .112-40 uncx1.00 flat head machine screw securing modul to rack.Mechanical-patch module: module insertion/withdraw with conductive finger gasket: 50 cycles.Min.(without module or signal degradation module insertion force: 22 pounds typical: 32 pounds max, module withdraw force: 16 pounds typical: 26 pounds max.Electrical: system data rate : dc to 20 mbps, nrz, frequency range: dc to 20 mhz, module impedance: dc-20 mhz, 100ohms + or -10ohms, operating temperature: 32 degrees f to140 degrees f, non-operating range: -35 degf to158 degrees f, humidit (non condensation) operating: 10% to 80%, non-operating: 5% to905, altitude: operating: 30, 000 feet, max, non-operating: 30, 000 ft max, mean time between failure: 87, 600 hours, mean time to replace: 15 minutes-maxmodule replacement.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T263-c