Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-005-2647

# Section Quantity:

1

Body Style:

Rectangular w/mounting hole/slot

## **Reliability Indicator:**

Not established

### Mounting Hole Diameter:

0.090 inches

#### Shaft Diameter:

0.030 inches

- Shaft Length:
- 0.040 inches

Body Length:

#### 0.375 inches

Body Width:

# 0.203 inches

**Body Height:** 

0.375 inches

Shaft Style:

Round, slotted

Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

9000.0

#### **Mounting Facility Quantity:**

1

**Terminal Location:** 

Rear end

#### **Mounting Method:**

Terminal

**Electrical Resistance Per Section:** 

500.000 ohms single section

#### **Rotary Actuator Travel In Angular Deg:**

9000.0

# Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

# Power Dissipation Rating Per Section In Watts:

0.5 free air single section

# **Resistance Tolerance Per Section In Percent:**

-5.0 to 5.0 single section

# Actuator Travel Control Feature:

Clutch



### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

### Standard Taper Curve Per Section:

A single section

### Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

### Demilitarization:

No

### Fiig:

A002a0