AeroBase Group

View Online at https://aerobasegroup.com/nsn/5905-00-005-3382

## Section Quantity:

1

# Body Style:

Cylindrical servo mounted

## **Reliability Indicator:**

Not established

## **Pilot Diameter:**

Between 0.62450 inches and 0.62500 inches

#### **Pilot Length:**

0.06200 inches

## **Overall Length:**

1.955 inches

## **Undercut Diameter:**

0.781 inches

#### **Undercut Width:**

0.06200 inches

## Body Diameter:

0.875 inches

#### Shaft Diameter:

Between 0.1245 inches and 0.1248 inches

## Shaft Length:

0.375 inches

#### Body Length:

1.580 inches

## **Overall Diameter:**

1.063 inches

## Mounting Lip Diameter:

0.87500 inches

## Mounting Lip Depth:

0.06200 inches

Shaft Style:

Round

## Shaft Bearing Type:

Ball

## Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

Between 3600.0 and 3610.0

## Maximum Starting Torque:

0.40 inch-ounces

## Maximum Running Torque:

0.30 inch-ounces



## Maximum Stop Torque:

96.00 inch-ounces

#### Shaft End Play:

0.00300 inches

#### Shaft Runout:

0.001 inches

## Lateral Runout:

0.003 inches

#### Pilot Diameter Runout:

0.00150 inches

#### Shaft Radial Play:

0.002 inches

## **Terminal Location:**

Longitudinally positioned on the circumference

#### **Mounting Method:**

Clamp ring

## Features Provided:

Grounded contact arm and nonmetallic shaft

## **Electrical Resistance Per Section:**

50.000 kilohms single section

## **Rotary Actuator Travel In Angular Deg:**

Between 3600.0 and 3610.0

## Function Conformity Tolerance Per Section:

-0.20/+0.20 single section

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

125.0 single section

## **Power Dissipation Rating Per Section In Watts:**

2.5 free air single section

## **Function Conformity Per Section:**

Single section independent linearity

## **Resistance Tolerance Per Section In Percent:**

-3.0 to 3.0 single section

## **Actuator Travel Control Feature:**

Stops

## **Function Characteristic Per Section:**

Single section linear

## Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-20.0/+20.0 single section

## Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

## Terminal Type And Quantity:

3 solder stud

## Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0