## NSN 5905-00-035-5058

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-035-5058

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:   |
|---|
| -30.0 to 30.0   |
| Electrical Resistance:  |
| 35.000 ohms   |
| Resistance Tolerance In Percent:  |
| -1.000/+1.000   |
| Heat Sink Material:   |
| Aluminum alloy  |
| Heat Sink Length:   |
| 7.000 inches  |
| Heat Sink Width:  |
| 5.000 inches  |
| Heat Sink Height:   |
| 2.000 inches  |
| Heat Sink Thickness:  |
| 0.040 inches  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:   |
| 25.0  |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:   |
| 275.0   |
|   |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:  |
| -55.0 to 275.0  |
|   |
| -55.0 to 275.0  |
| -55.0 to 275.0 Inclosure Method:  |
| -55.0 to 275.0 Inclosure Method: Encased  |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type:   |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug   |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length:  |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches   |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter:  |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches   |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length:  |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches   |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length:  |
| -55.0 to 275.0 Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length: 0.812 inches   |
| Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length: 0.812 inches Power Dissipation Rating In Watts:   |
| Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air   |
| Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter:              |
| Inclosure Method: Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.783 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter: 0.625 inches |

N/a

## NSN 5905-00-035-5058

Inductive Wire Wound Fixed Resistor - Page 2 of 2



|   |    | • • |             |          |  |
|---|----|-----|-------------|----------|--|
| ш | ın | 10  | <i>(</i> )+ | Measure: |  |
|   |    |     |             |          |  |

--

Demilitarization:

No

Fiig:

A001a0