

View Online at https://aerobasegroup.com/nsn/5905-00-051-4051

Section Quantity:

1

Body Style: Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** Between 1.991 inches and 2.073 inches **Body Diameter:** Between 1.796 inches and 1.828 inches Shaft Diameter: 0.250 inches Shaft Length: Between 0.735 inches and 0.765 inches Mounting Bushing Length: Between 0.296 inches and 0.328 inches **Body Length:** Between 1.210 inches and 1.230 inches **Overall Diameter:** Between 1.999 inches and 2.063 inches Shaft Style: Round Shaft Bearing Type: Sleeve Actuator Type: Single shaft Effective Electrical Rotation In Deg Angular Rotation: 1080.0 Maximum Starting Torque: 1.75 inch-ounces Maximum Running Torque: 1.25 inch-ounces Maximum Stop Torque: 750.00 inch-ounces **Nonturn Device Location:** At 6 oclock **Nonturn Device Radius:** Between 0.557 inches and 0.567 inches Shaft End Play: 0.008 inches

Shaft Runout:

0.002 inches



Pilot Diameter Runout: 0.002 inches Shaft Radial Play: 0.003 inches Screw Thread Diameter: 0.375 inches Screw Thread Series Designator: Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** All adjacent sides from adjacent control Mounting Method: Standard bushing **Features Provided:** Nonmetallic shaft **Electrical Resistance Per Section:** 10.0 kilohms single section **Rotary Actuator Travel In Angular Deg:** 1080.0 **Function Conformity Tolerance Per Section:** -0.25 to 0.25 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 110.0 single section **Power Dissipation Rating Per Section In Watts:** 3.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -3.0 to 3.0 single section **Actuator Travel Control Feature:** Continuous motion **Function Characteristic Per Section:** Single section linear Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 single section **Terminal Type And Quantity:** 3 tab, solder lug Shelf Life: N/a Unit Of Measure: **Demilitarization:**

No

NSN 5905-00-051-4051

Precision Wire Wound Variable Resistor - Page 3 of 3

Fiig: A002a0

