Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-052-1174

Section Quantity:

1

Body Style: Rectangular w/mounting holes/slots Reliability Indicator: Not established Overall Length:

Between 1.254 inches and 1.359 inches

Overall Height:

Between 0.280 inches and 0.374 inches

Overall Width:

Between 0.270 inches and 0.290 inches

Mounting Hole Diameter:

Between 0.088 inches and 0.098 inches

Shaft Diameter:

Between 0.100 inches and 0.140 inches

Shaft Length:

Between 0.036 inches and 0.077 inches

Body Length:

Between 1.218 inches and 1.282 inches

Body Width:

Between 0.270 inches and 0.290 inches

Body Height:

Between 0.280 inches and 0.374 inches

Shaft Style:

Round, slotted

Actuator Type:

Single shaft

Effective Electrical Rotation In Deg Angular Rotation:

Between 6120.0 and 9720.0

Maximum Starting Torque:

5.00 inch-ounces

Lateral Distance Between Mounting Hole Centers:

Between 0.995 inches and 1.005 inches

Mounting Facility Quantity:

2

Terminal Location: Rear end Mounting Method:

Unthreaded hole

Electrical Resistance Per Section:

1.0 megohms single section

NSN 5905-00-052-1174

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2

