Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-055-3116

# Section Quantity:

1

Body Style:

Cylindrical bushing mounted

# **Reliability Indicator:**

Not established

## **Body Diameter:**

0.750 inches

#### Shaft Diameter:

0.250 inches

#### Shaft Length:

0.125 inches

## Body Length:

0.375 inches

## Shaft Style:

Round

# Actuator Type:

Single shaft

# Effective Electrical Rotation In Deg Angular Rotation:

245.0

# **Terminal Location:**

Radially positioned over less than half the circumference

#### **Mounting Method:**

Tab

#### **Electrical Resistance Per Section:**

100.0 kilohms single section

#### Rotary Actuator Travel In Angular Deg:

300.0

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

#### **Power Dissipation Rating Per Section In Watts:**

0.25 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-20.0 to 20.0 single section

#### **Actuator Travel Control Feature:**

Stops

#### Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

55.0 single section

## Standard Taper Curve Per Section:

A single section

## **Terminal Type And Quantity:**

3 tab, solder lug

AeroBase Group

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0