NSN 5905-00-056-7521

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-056-7521 **Section Quantity: Body Style:** Cylindrical **Reliability Indicator:** Not established **Overall Length:** 0.766 inches **Body Diameter:** Between 0.769 inches and 0.801 inches **Body Length:** 0.422 inches **Overall Diameter:** Between 0.808 inches and 0.812 inches **Actuator Type:** Flush drive with slot-hole **Maximum Starting Torque:** 10.00 inch-ounces **Terminal Location:** Rear end **Mounting Method:** Tab **Features Provided:** Grounded contact arm and nonmetallic shaft **Electrical Resistance Per Section:** 200.0 ohms single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 105.0 single section **Power Dissipation Rating Per Section In Watts:** 2.0 free air single section **Resistance Tolerance Per Section In Percent:** -20.0 to 20.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 55.0 single section **Standard Taper Curve Per Section:** A single section **Terminal Type And Quantity:** 2 tab, solder lug Shelf Life: N/a

__

Unit Of Measure:

NSN 5905-00-056-7521

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A002a0