

View Online at https://aerobasegroup.com/nsn/5905-00-060-3654

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0/+20.0

#### **Electrical Resistance:**

20.000 kilohms

#### **Resistance Tolerance In Percent:**

-0.100 to 0.100

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

#### **Inclosure Method:**

Encapsulated

#### Terminal Type:

#### Tab, solder lug

**Reliability Indicator:** 

Not established

### **Terminal Length:**

Between 0.313 inches and 0.437 inches

### **Body Diameter:**

Between 0.844 inches and 1.032 inches

### **Body Length:**

Between 2.000 inches and 2.188 inches

### **Power Dissipation Rating In Watts:**

1.000 free air

### **Terminal Width:**

Between 0.141 inches and 0.235 inches

### Cubic Measure (non-core):

1.830 cubic inches

### Style Designator:

Radial terminal each end

# Test Data Document:

81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-93/6 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

# NSN 5905-00-060-3654

Noninductive Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

