

View Online at https://aerobasegroup.com/nsn/5905-00-070-9568

# Section Quantity:

1

Body Style:

Cylindrical servo mounted

# **Reliability Indicator:**

Not established

#### Pilot Diameter:

1.87500 inches

#### **Pilot Length:**

0.06200 inches

#### **Overall Length:**

2.350 inches

#### Undercut Diameter:

1.870 inches

#### **Undercut Width:**

0.07800 inches

# **Body Diameter:**

2.109 inches

# Angle Of Mounting Hole In Deg:

35.0

# Angle Between Centerlines Of Mounting Holes In Deg:

120.0

#### Shaft Diameter:

0.250 inches

#### Shaft Length:

0.938 inches

## Body Length:

1.412 inches

#### **Overall Diameter:**

2.594 inches

#### Mounting Lip Diameter:

2.00000 inches

#### Mounting Lip Depth:

0.09300 inches

# Mounting Hole/stud Circle Diameter:

0.625 inches

#### Shaft Style:

Round

# Actuator Type:

Single shaft

## Effective Electrical Rotation In Deg Angular Rotation:

360.0



Maximum Starting Torque: 6.00 inch-ounces

Fragility Factor:

Moderately rugged

Screw Thread Diameter:

0.138 inches

Screw Thread Series Designator:

Unc

Screw Thready Qty Per Inch (tpi):

32.0

**Mounting Facility Quantity:** 

3

## Terminal Location:

Radially positioned over less than half the circumference

#### Mounting Method:

Clamp ring and threaded hole

#### **Features Provided:**

Humidity proof

# **Electrical Resistance Per Section:**

10.000 kilohms single section

# **Rotary Actuator Travel In Angular Deg:**

360.0

## **Function Conformity Tolerance Per Section:**

-0.50/+0.50 single section

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

80.0 single section

## Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-0.015/+0.015 single section

# Power Dissipation Rating Per Section In Watts:

4.0 free air single section

# Function Conformity Per Section:

Single section absolute linearity

**Resistance Tolerance Per Section In Percent:** 

-15.0 to 15.0 single section

# Actuator Travel Control Feature:

Continuous motion

# Function Characteristic Per Section:

Single section linear

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

55.0 single section

# Terminal Type And Quantity:

3 turret

# Shelf Life:

N/a



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0