NSN 5905-00-071-7479

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-071-7479

view Offilite at https://aerobasegroup.com/hist//0300-00-07 1-7-473
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-7.0/+10.3
Electrical Resistance:
2.3138 kilohms
Resistance Tolerance In Percent:
-0.020 to 0.020
Ambient Tempurature In Deg Celsius At Full Rated Power:
125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
145.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-65.0/+145.0
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Established
Reliability Failure Rate Level In Percent:
0.010
Terminal Length:
Between 1.875 inches and 2.125 inches
Body Diameter:
Between 0.235 inches and 0.265 inches
Body Length:
Between 0.735 inches and 0.765 inches
Power Dissipation Rating In Watts:
0.250 free air
Cubic Measure (non-core):
0.042 cubic inches
Precious Material And Location:
Terminal surfaces gold
Precious Material (non-core):
Gold
Style Designator:
Axial terminal each end
Test Data Document:
06481-900612 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:

NSN 5905-00-071-7479

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



_		••	• -				
1	em		ゖっ	riz	2 †1	n	
_			ıιa	114	au	VII	١.

No

Fiig:

A001a0