

View Online at https://aerobasegroup.com/nsn/5905-00-075-1982

## Section Quantity:

1

Body Style:

Cylindrical servo mounted

## **Reliability Indicator:**

Not established

### Pilot Diameter:

1.8750 inches

#### **Pilot Length:**

0.0620 inches

#### **Overall Length:**

3.370 inches

#### Undercut Diameter:

1.875 inches

#### **Undercut Width:**

0.0620 inches

# Body Diameter:

2.000 inches

## Angle Of Mounting Hole In Deg:

90.0

## Angle Between Centerlines Of Mounting Holes In Deg:

120.0

#### Shaft Diameter:

0.250 inches

### Shaft Length:

0.870 inches

### **Body Length:**

1.000 inches

### **Overall Diameter:**

2.500 inches

### Mounting Lip Diameter:

2.0000 inches

#### Mounting Lip Depth:

0.0620 inches

### Mounting Hole/stud Circle Diameter:

1.250 inches

### Shaft Style:

Round

## Shaft Bearing Type:

Ball

## Actuator Type:

Double ended shaft



#### Effective Electrical Rotation In Deg Angular Rotation:

315.0

#### **Maximum Starting Torque:**

1.00 inch-ounces

## Maximum Running Torque:

0.60 inch-ounces

#### Shaft End Play:

0.005 inches

### Shaft Runout:

0.001 inches

#### Lateral Runout:

0.0015 inches

#### Pilot Diameter Runout:

0.002 inches

#### Shaft Radial Play:

0.002 inches

#### Terminal Location:

Radially positioned over less than half the circumference

#### **Mounting Method:**

Clamp ring

#### **Electrical Resistance Per Section:**

5.0 kilohms single section

#### **Rotary Actuator Travel In Angular Deg:**

360.0

#### **Function Conformity Tolerance Per Section:**

-0.20/+0.20 single section

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

80.0 single section

## **Power Dissipation Rating Per Section In Watts:**

3.5 free air single section

## Function Conformity Per Section:

Single section absolute conformity

## **Resistance Tolerance Per Section In Percent:**

-5.0/+5.0 single section

## Actuator Travel Control Feature:

Continuous motion

## Function Characteristic Per Section:

Single section linear

## Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-130.0 to 130.0 single section

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

40.0 single section

# Terminal Type And Quantity:

3 turret



Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A002a0