

View Online at https://aerobasegroup.com/nsn/5905-00-076-9470

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0 to 20.0

#### **Electrical Resistance:**

60.400 kilohms

## **Resistance Tolerance In Percent:**

-1.000 to 1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 125.0

## Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

145.0

## Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0/+145.0

#### **Inclosure Method:**

Encapsulated

#### Terminal Type:

Tab, solder lug

#### **Reliability Indicator:**

Not established

#### **Terminal Length:**

Between 0.313 inches and 0.437 inches

## Body Diameter:

Between 0.844 inches and 1.032 inches

## Body Length:

Between 2.000 inches and 2.188 inches

## **Power Dissipation Rating In Watts:**

1.000 free air

## **Terminal Width:**

Between 0.141 inches and 0.235 inches

## Cubic Measure (non-core):

1.830 cubic inches

## Style Designator:

Radial terminal each end

# Test Data Document:

81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-93/6 government specification

#### Shelf Life:

N/a

#### Unit Of Measure:

--

## Demilitarization:

No

# NSN 5905-00-076-9470

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



**Fiig:** A001a0