NSN 5905-00-083-4987

Specification Data:

81349-mil-r-26/2 government specification

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-083-4987

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: | |
|---|--|
| -260.0/+260.0 | |
| Electrical Resistance: | |
| 430.000 ohms | |
| Resistance Tolerance In Percent: | |
| -10.000 to 10.000 | |
| Ambient Tempurature In Deg Celsius At Full Rated Power: | |
| 25.0 | |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: | |
| 350.0 | |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: | |
| -55.0/+350.0 | |
| Inclosure Method: | |
| Encapsulated | |
| Terminal Type: | |
| Tab, solder lug | |
| Reliability Indicator: | |
| Not established | |
| Terminal Length: | |
| 0.532 inches | |
| Body Length: | |
| Between 4.688 inches and 4.812 inches | |
| Body Width: | |
| 1.187 inches | |
| Body Height: | |
| 0.656 inches | |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: | |
| Between 5.469 inches and 5.531 inches | |
| Power Dissipation Rating In Watts: | |
| 68.000 free air | |
| Terminal Width: | |
| Between 0.172 inches and 0.265 inches | |
| Mounting Hole Size: | |
| Between 0.146 inches and 0.246 inches | |
| Cubic Measure (non-core): | |
| 0.620 cubic inches | |
| Style Designator: | |
| Terminals one edge | |
| Test Data Document: | |
| 81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; | |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental | |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.). | |

NSN 5905-00-083-4987

Inductive Wire Wound Fixed Resistor - Page 2 of 2



| Sneit | Lite: |
|-------|-------|
| N/a | |

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0