## NSN 5905-00-084-0966

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-084-0966

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-20.0 to 20.0
Electrical Resistance:
6.000 kilohms
Resistance Tolerance In Percent:
-1.000 to 1.000
Heat Sink Thickness:
0.040 inches
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0 to 275.0
Inclosure Method:
Encased
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
Between 0.250 inches and 0.374 inches
Body Length:
Between 0.719 inches and 0.781 inches
Body Width:
Between 0.405 inches and 0.435 inches
Body Height:
Between 0.375 inches and 0.405 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 0.557 inches and 0.567 inches
Power Dissipation Rating In Watts:
10.000 free air
Mounting Hole Size:
Between 0.083 inches and 0.103 inches
Cubic Measure (non-core):
0.138 cubic inches
Style Designator:
Axial terminal (s)
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5905-00-084-0966

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0