## NSN 5905-00-084-0966

Noninductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-084-0966

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:                |
|--|
| -20.0 to 20.0  |
| Electrical Resistance:   |
| 6.000 kilohms  |
| Resistance Tolerance In Percent:   |
| -1.000 to 1.000  |
| Heat Sink Thickness:   |
| 0.040 inches   |
| Ambient Tempurature In Deg Celsius At Full Rated Power:                      |
| 25.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:              |
| 275.0  |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius:                 |
| -55.0 to 275.0   |
| Inclosure Method:  |
| Encased  |
| Terminal Type:   |
| Tab, solder lug  |
| Reliability Indicator:   |
| Not established  |
| Terminal Length:   |
| Between 0.250 inches and 0.374 inches  |
| Body Length:   |
| Between 0.719 inches and 0.781 inches  |
| Body Width:  |
| Between 0.405 inches and 0.435 inches  |
| Body Height:   |
| Between 0.375 inches and 0.405 inches  |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| Between 0.557 inches and 0.567 inches  |
| Power Dissipation Rating In Watts:   |
| 10.000 free air  |
| Mounting Hole Size:  |
| Between 0.083 inches and 0.103 inches  |
| Cubic Measure (non-core):  |
| 0.138 cubic inches   |
| Style Designator:  |
| Axial terminal (s)   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 5905-00-084-0966

Noninductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0