NSN 5905-00-087-8160

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-087-8160

| · · · · · · · · · · · · · · · · · · · |
|---|
| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
| -30.0/+30.0 |
| Electrical Resistance: |
| 25.000 ohms |
| Resistance Tolerance In Percent: |
| -2.000/+2.000 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 25.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 275.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0 to 275.0 |
| Inclosure Method: |
| Encased |
| Terminal Type: |
| Tab, solder lug |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| Between 0.313 inches and 0.437 inches |
| Body Diameter: |
| Between 0.846 inches and 0.906 inches |
| Mounting Bushing Length: |
| Between 0.628 inches and 0.938 inches |
| Body Length: |
| Between 0.781 inches and 0.843 inches |
| Power Dissipation Rating In Watts: |
| 25.000 free air |
| Mounting Bushing Diameter: |
| 0.625 inches |
| Cubic Measure (non-core): |
| 0.543 cubic inches |
| Unpackaged Unit Weight: |
| 22.0 grams |
| Style Designator: |
| Axial terminals one end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

No

NSN 5905-00-087-8160

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0