Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-088-2702

# Section Quantity:

1

Body Style:

Rectangular w/mounting hole/slot

## Reliability Indicator:

Not established

## Terminal Length:

0.300 inches

## Mounting Hole Diameter:

0.088 inches

#### Shaft Diameter:

0.090 inches

Shaft Length:

0.040 inches

#### Body Length:

## 0.375 inches

**Body Width:** 

0.200 inches

Body Height:

0.375 inches

# Shaft Style:

Round, slotted

Actuator Type:

Single shaft

## Center To Center Distance Between Terminals:

0.200 inches

## **Mounting Facility Quantity:**

1

## **Terminal Location:**

Lower adjacent side two rows

## **Mounting Method:**

Unthreaded hole

## Center To Center Distance Between Terminal Rows:

0.200 inches

## **Electrical Resistance Per Section:**

1.0 megohms single section

## Center To Center Distance Between Center Terminal And Outside Terminal:

0.100 inches

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

## Power Dissipation Rating Per Section In Watts:

0.5 free air single section



**Resistance Tolerance Per Section In Percent:** -20.0 to 20.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 50.0 single section Standard Taper Curve Per Section: A single section Terminal Type And Quantity: 3 pin Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A002a0