NSN 5905-00-088-4786

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-088-4786

view Online at https://aerobasegroup.com/nsn/5905-00-088-4
Section Quantity:
1
Body Style:
Rectangular w/mounting holes
Reliability Indicator:
Not established
Overall Length:
0.560 inches
Terminal Length:
Between 0.150 inches and 0.550 inches
Overall Height:
Between 0.490 inches and 0.510 inches
Overall Width:
Between 0.170 inches and 0.270 inches
Mounting Hole Diameter:
Between 0.070 inches and 0.090 inches
Shaft Diameter:
Between 0.058 inches and 0.098 inches
Shaft Length:
0.125 inches
Body Length:
Between 0.490 inches and 0.510 inches
Body Width:
Between 0.170 inches and 0.270 inches
Body Height:
Between 0.490 inches and 0.510 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
15120.0
Maximum Starting Torque:
7.50 inch-ounces
Center To Center Distance Between Terminals:
0.200 inches
Lateral Distance Between Mounting Hole Centers:
Between 0.510 inches and 0.530 inches
Mounting Facility Quantity:
2
Terminal Location:

Left adjacent side single row

NSN 5905-00-088-4786

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
2.000 kilohms single section
Rotary Actuator Travel In Angular Deg:
15120.0
Center To Center Distance Between Center Terminal And Outside Terminal:
Between 0.105 inches and 0.560 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-100.0 to 100.0 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Resistance Tolerance Per Section In Percent:
-5.0 to 5.0 single section
Actuator Travel Control Feature:
Clutch
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 single section
Standard Taper Curve Per Section:
A single section
Precious Material And Location:
Terminal surfaces gold
Precious Material:
Gold
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A002a0